

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	332	client adj finish\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 15:20
L2	3444	SSL and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 15:23
L3	190	726/14.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:23
L4	383	713/151-152.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:24
L5	555	380/270.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:24
L6	441	380/37.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:24
L7	317	380/29.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:24
L8	2765	709/227.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:24
L9	3885	709/227-228.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:25

L10	10	3 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:27
L11	47	4 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:27
L12	42	(5 or 6 or 7) and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:27
L13	103	(8 or 9) and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:27
L14	1	3 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:27
L15	4	4 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:27
L16	2	(5 or 6 or 7) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:27
L17	14	(8 or 9) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:27
S1	1	"20030020621".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 17:15

S2	38	application adj layer adj security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 09:18
S3	18	(application adj layer adj security) and (secret or random)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 16:42
S4	14	(server adj random) same (client adj random)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/14 10:47
S5	507	random near2 ID	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/14 12:15
S6	366	id adj2 random	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/19 16:25
S7	186	id adj2 random and @ad<="20000101"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/14 12:24
S8	51	id adj2 random and @ad<="20000101" and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/19 16:29
S9	9	id adj2 random and @ad<="20000101" and (wireless. ab.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/14 12:48
S10	7	id adj2 random and @ad<="20000101" and (wireless. ti.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/14 12:48
S11	1	"20010016907".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/19 10:14
S12	6	(WTLS and security).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/19 10:50
S13	8	adriano.in. and huber.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/19 10:48

S14	7	(WTLS).ab. and security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/19 10:52
S15	151	WTLS and security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/19 11:35
S16	50	WTLS and security and WSP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/19 13:01
S17	12	secur\$2 adj session adj layer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/19 13:01
S18	6	(id adj2 random)and WAP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/19 16:25
S19	246	client adj finish\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/20 10:52
S20	9	client adj finish\$ adj message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/20 10:53
S21	686	ID same random same (client or server or smart or dongle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/21 09:00
S22	344	ID with random same (client or server or smart or dongle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/21 09:00
S23	188	ID with random with (client or server or smart or dongle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/21 09:00
S24	69	ID with random with (client or server or smart or dongle) and @ad <="20000101"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/21 09:15
S25	5	ID with random with (smart or dongle) and @ad <="20000101"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/21 09:15

S27	0	SSL adj without adj ((public or private) adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 11:33
S28	9	SSL with without with ((public or private) adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 11:53
S30	0	(master adj key adj exchange) adj us\$3 adj (symmetric)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 11:55
S31	0	(master adj key adj exchange) with (symmetric)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 11:55
S32	0	(master adj key adj exchange) with (symmetric\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 11:55
S33	0	(master adj key adj exchange) same (symmetric\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 11:56
S34	2	(master adj key adj exchange) and (symmetric\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 11:59
S35	2	(master adj key adj exchange)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 12:00
S36	3	(master adj key\$2 adj exchange\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 12:01
S39	52	key\$2 adj encrypt\$3 adj (master adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 12:10
S40	2671	SSL and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 12:10
S41	96	SSL with (wireless with protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 12:11

S42	1	S41.ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 12:10
S43	28	SSL with (wireless near2 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 12:11
S44	72	SSL with WAP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 12:52
S45	10516411	S44 @ad<"19991220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 12:52
S46	4	S44 and @ad<"19991220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 13:16
S47	1	"6108787".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 14:48
S48	37	(asymm\$ with symm\$ with SSL)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 14:54
S49	1	"5535276".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 15:45
S50	26	(socket near2 session) with layer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 20:11
S51	1	wireless same ((socket near2 session) with layer\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 20:11
S52	2	wireless adj transaction adj layer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:03

S53	190	726/14.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:10
S54	383	713/151-152.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:13
S55	555	380/270.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:13
S56	441	380/37.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:15
S57	317	380/29.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:17
S58	2765	709/227.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:18
S59	3885	709/227-228.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:19
S60	1737	S53 or S54 or S55 or S56 or S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:20

S61	167	(secure\$1 with (session near2 layer\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:21
S63	6	(secure\$1 with (session near2 layer\$1) with wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:21
S64	17	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:37